An Bray
ord
Organish Frackealis
William of Bonsonby
Virginia
Paped Much 1825

An Espay Caynanche Trackealis William & Bowonly

This disease is known by several other names, as the croup, or the stives, which is a correption of heaves, and was so named from the difficulty of respiration. The one, most commonly implayed, is the Coyponache Grackedis; and is an inflamation in the parts of the throat subservient to respiration, speech, and degletition.

The word (Cognarche is composed of two words of the Goek language, Now & ayxos literally signifying the strangling of a dog: it was so named because a set of symptoms affects the patient in this disease, not inlike the appearance churchele

in hanging class.

This is considered as a modern cliebase. It thome, of Calenburgh, was the first who published a correct. . description of it. Since he wrote, several other authors have taken notice of it, and given different opinions with regard

unanche tracked in

her caree is some to some to some here. Such some case is the some out to the some out in the some or the some or man or manual from the supporting of consideration for the some of the forgot of the some of the forgot of the some is an influence of the configuration of the some of

con avoids of the book law ways sum )

1) ye leterally requirified the common large of af

2) deep it was so wante because a set

2) sumplear affects the fallout in the

disease, not wither the appearance thereof

in hanging days.

This is remissed as he make the profit of policies to policies a correct of the force to contra a correct of the base to contra according to the base to contra according to the base that according to the and queen defeated opinions with expanse

to it. Some authors divide it into two species Idiopathie and Synthematic. Idiopathic under the disease is primarily and estinainly seated in the Fraction, Bronchea, and surface of the lungs; and Symptomatic, where it appears as the consequence of some porcious disorder.

Among Them, are (Theyar, Modernoods, Teorica, and Much. Doctor (Blyga what a case where it occercial to the secondary four of Amall prox. One Doctor Modernood says, he has known it an attendant whom the pulsed thrush. Doctor Terrial alm observes, that he has seen flumonic infloration converted into Croup; and Doctor Much remarks, I have seen to accompany, as well as succeed, the Amale pox, Mussles, scartt fever, and lightness one throat. Doctor belowed, on the contrary, says that it is always an original disease, and never produced by vergularchies in any other disease, and never produced by vergularchies in

Some divide it into Spasmodia and

Moreovate when the judget though dieles Town the Small look Through, regitte from min

3

Inflammation. Doctor Thomas says, that it is always to be considered as arising from in-flammation. On the other hand, Doctor Underwood observes, that it is access of all cases, where it suddenly attacks, it must postate of the nature of Spasma he says, the early symptoms correspond exactly with this view of its pathology, and that dispections fully conform it, showing where death promptly happens, mone of the phenomena of inflammation are forware.

Some physicians consider it con tagious. Mr Kosentein of Stockholm, and the late learned Doctor Borton, of this University, stand foremost on the list of those who believe in the contagious nature of Coroup. But Cullen, Underwood, and Doctor (Chapman, tell writ is never contagious)

sathers more of the placeman of will

It is said sometimes to prevail as an epidemic

It is very much confined to early left, from the first to the fifth year it sometimes occurs to children within the month, and also to adults, but there cases are very rare.

this disease is known by the following symptoms: a heavenep, with a shrill minging sound, both in speaking and coughing; there is at the same time, a sense of pain about the Largnez great difficulty of respiration; with a wheezing sound in inspiration there is, also, a cough, which is commonly dry, and if any tring is spit, it is of a purelint appearance, and sometimes resemble proteons of a numbrane: there is a mostlepapear proteon are as a sense of heat, with a frequent pulse tree of endney

Traguently, there is an appearance of udnap and swelling, when the internal fauces are

tregantly there is an apparause of while

viewed, and an appearance of matter something like that rejected by courshing. Coulden tills us, that there is almost constantly a preternatural membrance found lining the internal surface of the upper part of the Tracka. But from the numerous diffictions made in the country, particularly by Delor Chapman, this memparticularly by Delor Chapman, the membranch however, no one denies that the membrane days sometimes exist.

Doctor Auch mentions, that this disease is attended with most danger, when the patient labours under a constant and audible stertorous breathing: And left, when a day stertorous cough, allended with easy repiralism in its intends. The danger is nearly over, says the Doctor, when the laugh, though stertorous, is loose and accompanied with a disectory of mices from the Irachea.

detected had an apparace of with consume that there is almost consume and a surface of the continue that the witness and a surface of the witness and the transfer and the warmen appear of the transfer with court of particular to the court of particular to the transfer that men towns has been to the warmen to the court of the surface of the transfer warmen and the the manuface warmed

Doctor thick mention that This disease

patient lakers words a conferse war had the second action of the describer of the second action of the second appropriate work and appropriate the things is made near they then the second appropriate was the second action of the second appropriate to the second action of the second

frequently appears, and disappears, two or these lines in the course of the disease, is always a favorable symptoms

body; and Therefore, it generally appears in The

winter and spring months.

This diviare was once considered very singular and fatal: but Deter (Chapman title us, that he approaches it with more confidence than almost any other to which children are subjected. He says, there are two causes that will account for the fatalety of this diviare.


The first, is an errorsace notion of the Bathology; and second, the fields made of management, which has been followed. A motion, says he, has greatly forevailed, that the ildem wile not bear the action of powerful remedies: on this account, many, especially, the European proceditioners, have been very enert in their foractive. And the disease proved so fatae, that the Empure

of France officed ten Thousand france to the person who would produce the hist depictation on the subject. After all, it was given to a person, who advised the exhibition of the Hepar Sulphuris, which in this country, says the Doctor, would car tainly kill every person.

Treatment.

Whether the disease is spasmodice or inflammatory, the treatment is very nearly the same. We begin 1st. with five womiting; for which sprepare, the Tarlangua authorized authorized and powerfull article. For the same purpose, and powerfull article. For the same purpose, Doctor boxes there shows is a very value ble and efficacious remody. The warm bit is to be nestree to at the sametime, and the patient is to be nestree to at the sametime; and the patient is to be hept in it for ten or fifteen minutes, which is highly beneficial inframoting

the operation of the Gnetic. If, however, the Emetic should not operate, bleeding should be resorted to, and the Emitic and warm bath repeated. If the disease should not yield to this practice, topical bleeding is to be imployed. after which, a Blister is to be applied to the nech from ear to ear. If these should fail, or the symptoms prove very violent, bluding should be again immediately resorted to ad deliquium animi. When carried to this extent, Doctor Thapman tells us That he has never known it to fail. as soon as syncope is induced, The hoarsenep, eaugh, laborious respiration, all disappear. We should next resort to Calomel, not in small, but in large and repeated doses; so that it may freely purge. Dolygala Teneka is very highly recommended. Doctor Archer, of maryland, was the first, who brought it into the treatment of this affection: he thought it adapted to every



form and stage of the disease: he presented it sometimes as an Contice, and sometimes as an expecterant, to extinguish the remains of Crays. Poeter (Thapman title us it is very advantageous, but that he prefers the Tarlargue Rotimony as an emitte.

There are the remedies to be recorded to in the early stages; but if the elistate has lasted for eight or ten hours, it extends into the Bronchea, and even into the substance of of the lungs. The appearances are now very different, the voice is house, the cough horse, and dry there is more or lef fever; considerable anxiety and rettlefores, the child not remaining long in any one position; he is freeling and crying without any presence forem. In the final stage, we have all the symptoms of final stage, we have all the symptoms of impeds a respiration. This, I believe, deponds upon an accumulation of mucus in the lungs, or what is termed an engaged state of the

I be The early stone letter to in.

lungs. The indications are to relieve this, and neestablish a force and equalle circulation. This is to be done, by placing the patient in a warm bath; and while there, to induce copious vomiting by the most active articles. The Sulphate of zinc is highly recomme ended; or, if it is not to be obtained, the Tartarized antimony is to be used. Then Venesection is to be resorted to, but with great caution. Little blood should be taken, and This to be repeated from time to time, untice the effects are produced. The reason of this great eaution, Doctor Chapman tells us, is, That There is so great a stagnation of blood in the lungs, that a sudden evacuation would not ouffer the System to react, and would prove imme diately fatal. We should next apply a Bluster over the whole breast, or cloths

wrung out of boiling water, or rags dipped

description is love and much The dulph ste of one is highly account rialely later. He should next alphon in a descretion of Canthanides, or in the Spirits of Surpentine. After this, we should endeaveur to foromote expectoration. This may be done by Tolgala Sincha; or which is still better, the Hime Syoup of Dector Cove.

It This time, Calonel should be given; it is in all cases on it ellent expectorant. Gostor Chapman says, that in some of those cases it appears to appoint as a specific.

Some physicians nely wholely upon Calonal in the treatment of this desease; it acquires very large closes, as the succeptibility of the system in this desease is very much dimisted. Bester Physich gave half a drachim in one day to a cheld only three months old; by the treatment we may often relieve the most dispusate cases.

The states two of transferred on in the states of desired in the transferred on the states on the states of the transferred on the states of the transferred of the states of the transferred of the states the states of the transfer to the states of the transfer to the transferred of the transfe